


WEST Search History

File Copy
updated
09/747,007

DATE: Wednesday, April 16, 2003

<u>Set Name</u> side by side	<u>Query</u>	<u>Hit Count</u>	<u>Set Name</u> result set
<i>DB=USPT,PGPB,JPAB,EPAB,DWPI,TDBD; PLUR=YES; OP=ADJ</i>			
L8	L1 same ((transcription\$) same (regulat\$))	3	L8
L7	L1 same ((transcription\$) near25 (regulat\$))	2	L7
L6	L1 same ((transcription\$) near15 (regulat\$))	2	L6
L5	L1 same ((translation\$) near10 (regulat\$))	1	L5
L4	L1 same ((transcription\$) near10 (regulat\$))	2	L4
L3	L1 same (translation\$)	11	L3
L2	L1 same (transcription\$)	6	L2
L1	RENT	4974	L1

END OF SEARCH HISTORY



PubMed Nucleotide Protein Genome Structure PMC Taxonomy OMIM Bc
 Search PubMed for Ouellet T Go Clear
 Limits Preview/Index History Clipboard Details

About Entrez

Text Version

Entrez PubMed

Overview
 Help | FAQ
 Tutorial
 New/Noteworthy
 E-Utilities

PubMed Services
 Journals Database
 MeSH Browser
 Single Citation Matcher
 Batch Citation Matcher
 Clinical Queries
 LinkOut
 Cubby

Related Resources

Order Documents
 NLM Gateway
 TOXNET
 Consumer Health
 Clinical Alerts
 ClinicalTrials.gov
 PubMed Central


Privacy Policy

Display Summary Show: 20 Sort Send to Text
 Items 1-13 of 13 One page.


- ☐ 1: Foster E, Hattori J, Zhang P, Labbe H, Martin-Heller T, Li-Pook-Than J, Ouellet T, Malik K, Miki B. Related Articles, Links
 The new RENT family of repetitive elements in Nicotiana species harbors gene regulatory elements related to the tCUP cryptic promoter.
 Genome. 2003 Feb;46(1):146-55.
 PMID: 12669807 [PubMed - in process]
- ☐ 2: Boutillier K, Offringa R, Sharma VK, Kieft H, Ouellet T, Zhang L, Hattori J, Liu CM, van Lammeren AA, Miki BL, Custers JB, van Lookeren Campagne MM. Related Articles, Links
 Ectopic expression of BABY BOOM triggers a conversion from vegetative to embryonic growth.
 Plant Cell. 2002 Aug;14(8):1737-49.
 PMID: 12172019 [PubMed - indexed for MEDLINE]
- ☐ 3: Xing T, Ouellet T, Miki BL. Related Articles, Links
 Towards genomic and proteomic studies of protein phosphorylation in plant-pathogen interactions.
 Trends Plant Sci. 2002 May;7(5):224-30. Review.
 PMID: 11992828 [PubMed - indexed for MEDLINE]
- ☐ 4: Foster E, Hattori J, Labbe H, Ouellet T, Fobert PR, James LE, Iyer VN, Miki BL. Related Articles, Links
 A tobacco cryptic constitutive promoter, tCUP, revealed by T-DNA tagging.
 Plant Mol Biol. 1999 Sep;41(1):45-55.
 PMID: 10561067 [PubMed - indexed for MEDLINE]
- ☐ 5: Snijders CH, Samson RA, Hoekstra ES, Ouellet T, Miller JD, de Rooij-van der Goes PC, Baar AJ, Dubois AE, Kauffman HF. Related Articles, Links
 Analysis of Fusarium causing dermal toxicosis in marram grass planters.
 Mycopathologia. 1996;135(2):119-28.
 PMID: 9063007 [PubMed - indexed for MEDLINE]
- ☐ 6: Hattori J, Brown D, Mourad G, Labbe H, Ouellet T, Sunohara G, Rutledge R, King J, Miki B. Related Articles, Links
 An acetohydroxy acid synthase mutant reveals a single site involved in multiple herbicide resistance.
 Mol Gen Genet. 1995 Feb 20;246(4):419-25.
 PMID: 7891655 [PubMed - indexed for MEDLINE]
- ☐ 7: Fobert PR, Labbe H, Cosmopoulos J, Gottlob-McHugh S, Ouellet T, Hattori J, Sunohara G, Iyer VN, Miki BL. Related Articles, Links
 T-DNA tagging of a seed coat-specific cryptic promoter in tobacco.
 Plant J. 1994 Oct;6(4):567-77.

PMID: 7987415 [PubMed - indexed for MEDLINE]


☐ **8:** [Ouellet T, Rutledge RG, Miki BL.](#)[Related Articles, Links](#)

 Members of the acetohydroxyacid synthase multigene family of Brassica napus have divergent patterns of expression.
Plant J. 1992 May;2(3):321-30.
PMID: 1303798 [PubMed - indexed for MEDLINE]


☐ **9:** [Ouellet T, Lampron C, Lussier M, Lapointe L, Royal A.](#)[Related Articles, Links](#)

 Differential regulation of keratin 8 and 18 messenger RNAs in differentiating F9 cells.
Biochim Biophys Acta. 1990 Apr 6;1048(2-3):194-201.
PMID: 1691021 [PubMed - indexed for MEDLINE]


☐ **10:** [Ouellet T, Lussier M, Babai F, Lapointe L, Royal A.](#)[Related Articles, Links](#)

 Differential expression of the epidermal K1 and K10 keratin genes during mouse embryo development.
Biochem Cell Biol. 1990 Feb;68(2):448-53.
PMID: 1693084 [PubMed - indexed for MEDLINE]


☐ **11:** [Lussier M, Ouellet T, Lampron C, Lapointe L, Royal A.](#)[Related Articles, Links](#)

 Mouse keratin 19: complete amino acid sequence and gene expression during development.
Gene. 1989 Dec 28;85(2):435-44.
PMID: 2483396 [PubMed - indexed for MEDLINE]

☐ **12:** [Ouellet T, Levac P, Royal A.](#)[Related Articles, Links](#)

 Complete sequence of the mouse type-II keratin EndoA: its amino-terminal region resembles mitochondrial signal peptides.
Gene. 1988 Oct 15;70(1):75-84.
PMID: 2467842 [PubMed - indexed for MEDLINE]


☐ **13:** [Ouellet T, Lussier M, Belanger C, Kessous A, Royal A.](#)[Related Articles, Links](#)

 Differential expression of keratin genes during mouse development.
Dev Biol. 1986 Feb;113(2):282-7.
PMID: 2419183 [PubMed - indexed for MEDLINE]

Display **Summary** **Show:** **20** **Sort** **Send to:** **Text**
Items 1-13 of 13 One page.

[Write to the Help Desk](#)
[NCBI](#) | [NLM](#) | [NIH](#)
[Department of Health & Human Services](#)
[Freedom of Information Act](#) | [Disclaimer](#)

Mar 17 2003 10:44:01



PubMed

Nucleotide

Protein

Genome

Structure

PMC

Taxonomy

OMIM

Bc

Search for

Limits

Preview/Index

History

Clipboard

Details

About Entrez

Display Show: Sort Send to

Text Version

Items 1-20 of 40

Page of 2 Next

Entrez PubMed

Overview
Help | FAQ
Tutorial
New/Noteworthy
E-Utilities

PubMed Services

Journals Database
MeSH Browser
Single Citation Matcher
Batch Citation Matcher
Clinical Queries
LinkOut
Cubby

Related Resources

Order Documents
NLM Gateway
TOXNET
Consumer Health
Clinical Alerts
ClinicalTrials.gov
PubMed Central

Privacy Policy

- ☐ 1: [Wu K, Tian L, Zhou C, Brown D, Miki B.](#) [Related Articles, Links](#)
 Repression of gene expression by Arabidopsis HD2 histone deacetylases.
Plant J. 2003 Apr;34(2):241-247.
PMID: 12694598 [PubMed - as supplied by publisher]
- ☐ 2: [Foster E, Hattori J, Zhang P, Labbe H, Martin-Heller T, Li-Pook-Than J, Ouellet T, Malik K, Miki B.](#) [Related Articles, Links](#)
 The new RENT family of repetitive elements in Nicotiana species harbors gene regulatory elements related to the tCUP cryptic promoter.
Genome. 2003 Feb;46(1):146-55.
PMID: 12669807 [PubMed - in process]
- ☐ 3: [Wu K, Hu M, Martin T, Wang C, Li XQ, Tian L, Brown D, Miki B.](#) [Related Articles, Links](#)
 The cryptic enhancer elements of the tCUP promoter.
Plant Mol Biol. 2003 Feb;51(3):351-62.
PMID: 12602866 [PubMed - indexed for MEDLINE]
- ☐ 4: [Malik K, Wu K, Li XQ, Martin-Heller T, Hu M, Foster E, Tian L, Wang C, Ward K, Jordan M, Brown D, Gleddie S, Simmonds D, Zheng S, Simmonds J, Miki B.](#) [Related Articles, Links](#)
 A constitutive gene expression system derived from the tCUP cryptic promoter elements.
Theor Appl Genet. 2002 Sep;105(4):505-514.
PMID: 12582498 [PubMed - as supplied by publisher]
- ☐ 5: [Batchelor AK, Boutilier K, Miller SS, Hattori J, Bowman LA, Hu M, Lantin S, Johnson DA, Miki BL.](#) [Related Articles, Links](#)
 SCB1, a BURP-domain protein gene, from developing soybean seed coats.
Planta. 2002 Aug;215(4):523-32.
PMID: 12172833 [PubMed - indexed for MEDLINE]
- ☐ 6: [Boutilier K, Offringa R, Sharma VK, Kieft H, Ouellet T, Zhang L, Hattori J, Liu CM, van Lammeren AA, Miki BL, Custers JB, van Lookeren Campagne MM.](#) [Related Articles, Links](#)
 Ectopic expression of BABY BOOM triggers a conversion from vegetative to embryonic growth.
Plant Cell. 2002 Aug;14(8):1737-49.
PMID: 12172019 [PubMed - indexed for MEDLINE]
- ☐ 7: [Xing T, Ouellet T, Miki BL.](#) [Related Articles, Links](#)
 Towards genomic and proteomic studies of protein phosphorylation in plant-pathogen interactions.
Trends Plant Sci. 2002 May;7(5):224-30. Review.

PMID: 11992828 [PubMed - indexed for MEDLINE]

- ☐ 8: [Wu K, Tian L, Hollingworth J, Brown DC, Miki B.](#)

[Related Articles, Links](#)

Functional analysis of tomato Pti4 in Arabidopsis.
Plant Physiol. 2002 Jan;128(1):30-7.
PMID: 11788750 [PubMed - indexed for MEDLINE]

- ☐ 9: [Xing T, Wang XJ, Malik K, Miki BL.](#)

[Related Articles, Links](#)

Ectopic expression of an Arabidopsis calmodulin-like domain protein kinase-enhanced NADPH oxidase activity and oxidative burst in tomato protoplasts.
Mol Plant Microbe Interact. 2001 Oct;14(10):1261-4.
PMID: 11605966 [PubMed - indexed for MEDLINE]

- ☐ 10: [Wu K, Malik K, Tian L, Hu M, Martin T, Foster E, Brown D, Miki B.](#)

[Related Articles, Links](#)

Enhancers and core promoter elements are essential for the activity of a cryptic gene activation sequence from tobacco, tCUP.
Mol Genet Genomics. 2001 Jul;265(5):763-70.
PMID: 11523793 [PubMed - indexed for MEDLINE]

- ☐ 11: [Xing T, Malik K, Martin T, Miki BL.](#)

[Related Articles, Links](#)

Activation of tomato PR and wound-related genes by a mutagenized tomato MAP kinase kinase through divergent pathways.
Plant Mol Biol. 2001 May;46(1):109-20.
PMID: 11437246 [PubMed - indexed for MEDLINE]

- ☐ 12: [Wu K, Malik K, Tian L, Brown D, Miki B.](#)

[Related Articles, Links](#)

Functional analysis of a RPD3 histone deacetylase homologue in Arabidopsis thaliana.
Plant Mol Biol. 2000 Sep;44(2):167-76.
PMID: 11117260 [PubMed - indexed for MEDLINE]

- ☐ 13: [Batchelor AK, Boutilier K, Miller SS, Labbe H, Bowman L, Hu M, Johnson DA, Gijzen M, Miki BL.](#)

[Related Articles, Links](#)

The seed coat-specific expression of a subtilisin-like gene, SCS1, from soybean.
Planta. 2000 Sep;211(4):484-92.
PMID: 11030547 [PubMed - indexed for MEDLINE]

- ☐ 14: [Wu K, Tian L, Malik K, Brown D, Miki B.](#)

[Related Articles, Links](#)

Functional analysis of HD2 histone deacetylase homologues in Arabidopsis thaliana.
Plant J. 2000 Apr;22(1):19-27.
PMID: 10792817 [PubMed - indexed for MEDLINE]


- ☐ 15: [Gijzen M, Miller SS, Bowman LA, Batchelor AK, Boutilier K, Miki BL.](#)

[Related Articles, Links](#)


Localization of peroxidase mRNAs in soybean seeds by in situ hybridization.
Plant Mol Biol. 1999 Sep;41(1):57-63.
PMID: 10561068 [PubMed - indexed for MEDLINE]

- ☐ 16: [Foster E, Hattori J, Labbe H, Ouellet T, Fobert PR, James LE, Iyer VN, Miki BL.](#)


[Related Articles, Links](#)

 A tobacco cryptic constitutive promoter, tCUP, revealed by T-DNA tagging.
Plant Mol Biol. 1999 Sep;41(1):45-55.
PMID: 10561067 [PubMed - indexed for MEDLINE]


☐ 17: [Gijzen M](#), [Miller SS](#), [Kuflu K](#), [Buzzell RI](#), [Miki BL](#). [Related Articles](#), [Links](#)

 Hydrophobic protein synthesized in the pod endocarp adheres to the seed surface.
Plant Physiol. 1999 Aug;120(4):951-9.
PMID: 10444078 [PubMed - indexed for MEDLINE]


☐ 18: [Hattori J](#), [Boutilier KA](#), [van Lookeren Campagne MM](#), [Miki BL](#). [Related Articles](#), [Links](#)

 A conserved BURP domain defines a novel group of plant proteins with unusual primary structures.
Mol Gen Genet. 1998 Sep;259(4):424-8.
PMID: 9790599 [PubMed - indexed for MEDLINE]

☐ 19: [Knowles VL](#), [McHugh SG](#), [Hu Z](#), [Dennis DT](#), [Miki BL](#), [Plaxton WC](#). [Related Articles](#), [Links](#)

 Altered growth of transgenic tobacco lacking leaf cytosolic pyruvate kinase.
Plant Physiol. 1998 Jan;116(1):45-51.
PMID: 9449835 [PubMed - indexed for MEDLINE]


☐ 20: [Treacy BK](#), [Hattori J](#), [Prud'homme I](#), [Barbour E](#), [Boutilier K](#), [Baszczynski CL](#), [Huang B](#), [Johnson DA](#), [Miki BL](#). [Related Articles](#), [Links](#)

 Bnm1, a Brassica pollen-specific gene.
Plant Mol Biol. 1997 Jul;34(4):603-11.
PMID: 9247542 [PubMed - indexed for MEDLINE]

Display Show:
Items 1-20 of 40 of 2 [Next](#)

[Write to the Help Desk](#)
[NCBI](#) | [NLM](#) | [NIH](#)
[Department of Health & Human Services](#)
[Freedom of Information Act](#) | [Disclaimer](#)

Mar 17 2003 10:44:01



PubMed

Nucleotide

Protein

Genome

Structure

PMC

Taxonomy

OMIM

Bc

Search PubMed for RENT AND regulator

Go

Clear

Limits

Preview/Index

History

Clipboard

Details

About Entrez

Display

Summary

Show:

20

Sort

Send to

Text

Items 1-4 of 4

One page.

Text Version

Entrez PubMed

Overview

Help | FAQ

Tutorial

New/Noteworthy

E-Utilities

PubMed Services

Journals Database

MeSH Browser

Single Citation Matcher

Batch Citation Matcher

Clinical Queries

LinkOut

Cubby

Related Resources

Order Documents

NLM Gateway

TOXNET

Consumer Health

Clinical Alerts

ClinicalTrials.gov

PubMed Central

Privacy Policy

☐ 1: [Kasulke D, Seitz S, Ehrenhofer-Murray AE.](#) Related Articles, Links

A role for the *Saccharomyces cerevisiae* RENT complex protein Net1 in HMR silencing.

Genetics. 2002 Aug;161(4):1411-23.

PMID: 12196389 [PubMed - indexed for MEDLINE]

☐ 2: [Loughrey Chen S, Huddleston MJ, Shou W, Deshaies RJ, Annan RS, Carr SA.](#) Related Articles, Links

Mass spectrometry-based methods for phosphorylation site mapping of hyperphosphorylated proteins applied to Net1, a regulator of exit from mitosis in yeast.

Mol Cell Proteomics. 2002 Mar;1(3):186-96.

PMID: 12096118 [PubMed - indexed for MEDLINE]

☐ 3: [Straight AF, Shou W, Dowd GJ, Turck CW, Deshaies RJ, Johnson AD, Moazed D.](#) Related Articles, Links

Net1, a Sir2-associated nucleolar protein required for rDNA silencing and nucleolar integrity.

Cell. 1999 Apr 16;97(2):245-56.

PMID: 10219245 [PubMed - indexed for MEDLINE]

☐ 4: [Shou W, Seol JH, Shevchenko A, Baskerville C, Moazed D, Chen ZW, Jang J, Shevchenko A, Charbonneau H, Deshaies RJ.](#) Related Articles, Links


Exit from mitosis is triggered by Tem1-dependent release of the protein phosphatase Cdc14 from nucleolar RENT complex.

Cell. 1999 Apr 16;97(2):233-44.

PMID: 10219244 [PubMed - indexed for MEDLINE]

[Write to the Help Desk](#)[NCBI | NLM | NIH](#)[Department of Health & Human Services](#)[Freedom of Information Act | Disclaimer](#)

Mar 17 2003 10:44:01



PubMed

Nucleotide

Protein

Genome

Structure

PMC

Taxonomy

OMIM

Bc

Search PubMed

for RENT AND translational

Go

Clear

Limits

Preview/Index

History

Clipboard

Details

About Entrez

Display

Summary

Show:

20

Sort

Send to

Text

Items 1-3 of 3

One page.

Text Version

Entrez PubMed

Overview

Help | FAQ

Tutorial

New/Noteworthy

E-Utilities

PubMed Services

Journals Database

MeSH Browser

Single Citation Matcher

Batch Citation Matcher

Clinical Queries

LinkOut

Cubby

Related Resources

Order Documents

NLM Gateway

TOXNET

Consumer Health

Clinical Alerts

ClinicalTrials.gov

PubMed Central

Privacy Policy

- ☐ 1: Foster E, Hattori J, Zhang P, Labbe H, Martin-Heller T, Li-Pook-Than J, Ouellet T, Malik K, Miki B. Related Articles, Links



The new RENT family of repetitive elements in Nicotiana species harbors gene regulatory elements related to the tCUP cryptic promoter. Genome. 2003 Feb;46(1):146-55. PMID: 12669807 [PubMed - in process]

- ☐ 2: Loughrey Chen S, Huddleston MJ, Shou W, Deshaies RJ, Annan RS, Carr SA. Related Articles, Links



Mass spectrometry-based methods for phosphorylation site mapping of hyperphosphorylated proteins applied to Net1, a regulator of exit from mitosis in yeast. Mol Cell Proteomics. 2002 Mar;1(3):186-96. PMID: 12096118 [PubMed - indexed for MEDLINE]


- ☐ 3: Shou W, Deshaies RJ. Related Articles, Links



Multiple telophase arrest bypassed (tab) mutants alleviate the essential requirement for Cdc15 in exit from mitosis in S. cerevisiae. BMC Genet. 2002 Mar 12;3(1):4. PMID: 11914130 [PubMed - indexed for MEDLINE]

[Write to the Help Desk](#)[NCBI](#) | [NLM](#) | [NIH](#)[Department of Health & Human Services](#)[Freedom of Information Act](#) | [Disclaimer](#)


Mar 17 2003 10:44:01

[PubMed](#)[Nucleotide](#)[Protein](#)[Genome](#)[Structure](#)[PMC](#)[Taxonomy](#)[OMIM](#)[Bc](#)Search for [Limits](#)[Preview/Index](#)[History](#)[Clipboard](#)[Details](#)[About Entrez](#)

No items found.

[Text Version](#)[See Details.](#)**Entrez PubMed**[Overview](#)[Help | FAQ](#)[Tutorial](#)[New/Noteworthy](#)[E-Utilities](#)**PubMed Services**[Journals Database](#)[MeSH Browser](#)[Single Citation Matcher](#)[Batch Citation Matcher](#)[Clinical Queries](#)[LinkOut](#)[Cubby](#)**Related Resources**[Order Documents](#)[NLM Gateway](#)[TOXNET](#)[Consumer Health](#)[Clinical Alerts](#)[ClinicalTrials.gov](#)[PubMed Central](#)[Privacy Policy](#)[Write to the Help Desk](#)[NCBI | NLM | NIH](#)[Department of Health & Human Services](#)[Freedom of Information Act | Disclaimer](#)

Mar 17 2003 10:44:01



PubMed

Nucleotide

Protein

Genome

Structure

PMC

Taxonomy

OMIM

Bc

Search for

Limits

Preview/Index

History

Clipboard

Details

About Entrez

Display Show: Sort Send to

Items 1-2 of 2

One page.

Text Version

Entrez PubMed

Overview

Help | FAQ

Tutorial

New/Noteworthy

E-Utilities

PubMed Services

Journals Database

MeSH Browser

Single Citation Matcher

Batch Citation Matcher

Clinical Queries

LinkOut

Cubby

Related Resources

Order Documents

NLM Gateway

TOXNET

Consumer Health

Clinical Alerts

ClinicalTrials.gov

PubMed Central

Privacy Policy

☐ 1: [Kasulke D, Seitz S, Ehrenhofer-Murray AE.](#)[Related Articles, Links](#)**A role for the *Saccharomyces cerevisiae* RENT complex protein Net1 in HMR silencing.**

Genetics. 2002 Aug;161(4):1411-23.

PMID: 12196389 [PubMed - indexed for MEDLINE]


☐ 2: [Shou W, Sakamoto KM, Keener J, Morimoto KW, Traverso EE,](#)[Related Articles, Links](#)[Azzam R, Hoppe GJ, Feldman RM, DeModena J, Moazed D, Charbonneau H, Nomura M, Deshaies RJ.](#)**Net1 stimulates RNA polymerase I transcription and regulates nucleolar structure independently of controlling mitotic exit.**

Mol Cell. 2001 Jul;8(1):45-55.

PMID: 11511359 [PubMed - indexed for MEDLINE]

[Write to the Help Desk](#)[NCBI | NLM | NIH](#)[Department of Health & Human Services](#)[Freedom of Information Act | Disclaimer](#)

Mar 17 2003 10:44:01



PubMed

Nucleotide

Protein

Genome

Structure

PMC

Taxonomy

OMIM

Bc

Search PubMed for RENT AND transcriptional

Go

Clear

Limits

Preview/Index

History

Clipboard


Details

[About Entrez](#)

No items found.

[Text Version](#)[See Details.](#)**Entrez PubMed**[Overview](#)[Help | FAQ](#)[Tutorial](#)[New/Noteworthy](#)[E-Utilities](#)**PubMed Services**[Journals Database](#)[MeSH Browser](#)[Single Citation Matcher](#)[Batch Citation Matcher](#)[Clinical Queries](#)[LinkOut](#)[Cubby](#)**Related Resources**[Order Documents](#)[NLM Gateway](#)[TOXNET](#)[Consumer Health](#)[Clinical Alerts](#)[ClinicalTrials.gov](#)[PubMed Central](#)[Privacy Policy](#)[Write to the Help Desk](#)[NCBI | NLM | NIH](#)[Department of Health & Human Services](#)[Freedom of Information Act | Disclaimer](#)

Mar 17 2003 10:44:01



PubMed

Nucleotide

Protein

Genome

Structure

PMC

Taxonomy

OMIM

Bc

Search for

Limits

Preview/Index

History

Clipboard

Details

About Entrez

 Show:

Items 1-2 of 2

One page.

Text Version

Entrez PubMed

Overview

Help | FAQ

Tutorial

New/Noteworthy

E-Utilities

PubMed Services

Journals Database

MeSH Browser

Single Citation Matcher

Batch Citation Matcher

Clinical Queries

LinkOut

Cubby

Related Resources

Order Documents

NLM Gateway

TOXNET

Consumer Health

Clinical Alerts

ClinicalTrials.gov

PubMed Central

Privacy Policy

- ☐ 1: [Foster E, Hattori J, Zhang P, Labbe H, Martin-Heller T, Li-Pook-Than J, Ouellet T, Malik K, Miki B.](#) Related Articles, Links



The new RENT family of repetitive elements in Nicotiana species harbors gene regulatory elements related to the tCUP cryptic promoter. Genome. 2003 Feb;46(1):146-55. PMID: 12669807 [PubMed - in process]

- ☐ 2: [Foster E, Hattori J, Labbe H, Ouellet T, Fobert PR, James LE, Iyer VN, Miki BL.](#) Related Articles, Links



A tobacco cryptic constitutive promoter, tCUP, revealed by T-DNA tagging. Plant Mol Biol. 1999 Sep;41(1):45-55. PMID: 10561067 [PubMed - indexed for MEDLINE]

[Write to the Help Desk](#)[NCBI | NLM | NIH](#)[Department of Health & Human Services](#)[Freedom of Information Act | Disclaimer](#)

Mar 17 2003 10:44:01